


# Schultz and Wernli

## Determining Midlatitude Cyclone Structure and Evolution From the Upper-Level Flow

The conclusion from this paper does a nice job summarizing the author's thoughts. Cyclones that are embedded in a diffluent large scale flow develop strong cold fronts, weak warm fronts, and have a narrowing warm sector. This model resembles the Norwegian Cyclone Model.


Cyclones embedded in large scale confluent flow have strong warm fronts, weak or a fractured cold front, and a T-bone type frontal structure similar to the Shapiro-Keyser Cyclone.

So...the flow determines the frontal structure and evolution.



300 mb isotachs, streamlines  
SFC isobars, 1000-850 thickness


Diffluent flow  
Norwegian Cyclone



Classic diffluent flow associated with a mature Pacific cyclone. Thickness suggests there is no warm front. It also suggests there is a shallow arctic boundary feeding into the north portion of the cyclone.


300 mb isotachs, streamlines  
SFC isobars, 1000-850 thickness

Confluent flow  
Shapiro-Keyser Cyclone



Classic confluent flow associated with a developing West Pacific cyclone. Thickness suggests there is a strong warm to occluded frontal boundary and a cold frontal fracture. The cyclone is developing in the right rear quadrant of a strong jet.






**Diffluent Flow** – Divergence aloft is provided by the left front quadrant of a jet exit region.

To define the model jet exit region in NMAP you can look under: [avn\\_QPF\\_300mb\\_AGEO\\_DIV\\_ISOTACHS](#)  
[eta\\_QPF\\_300mb\\_AGEO\\_DIV\\_ISOTACHS](#)  
[nogaps\\_standard/300mb\\_DIV\\_ISOTACH](#)  
[cmc/streamlines/250mb\\_STREAMLINES](#)  
[ukmet\\_QPF\\_300mb\\_AGEO\\_DIV\\_ISOTACHS](#)  
[avn \(or eta\)\\_streamlines\\_250mb](#)

## (b) Shapiro–Keyser Model



**Confluent Flow** – Divergence aloft is provided by both the right rear quadrant of a jet entrance and left front quadrant of a jet exit region. This structure seems to favor coupled jets.

## To summarize this short paper:

The upper-level flow determines the low-level frontal structure.

Confluent flow – Shapiro-Keyser

T-bone, cold frontal fracture, strong warm to occluded boundary

Diffluent flow – Norwegian Cyclone Model

Strong occluded to cold front, weak or no warm front

A cyclone can transition from one to the other as the associated Upper-level flow evolves (see the loop in slide 4).